



The 35-Kilo Millennium Coffee Roaster

Patent Pending

American Made, Hand Built Quality



- 35kiloMill Gas 3-Phase / 208-240 V / 20-25 amps
- 35kiloMill Gas Single Phase / 208-240 V / 20-50 amps

NEW FOR 2020! Stainless cooler liner, 4" magnehelic gauges for air flow and gas pressure, digital environmental air temp gauge, and air dampener control at NO CHARGE. Speed adjustable Drum

FRAME

- Heavy-duty stainless steel drum, cooler screen, and cooler liner
- Double insulated housing. Speed drive on Drum and roasting fan
- Easy to service roaster fan and separate fan for cooler
- Removable cooler for easy cleaning with adjustable slip clutch
- Industrial gear drives for smooth operation of drum and cooler stirrer, with no bulky belts or noisy chains.
- Equipped with heavy duty direct drive steel-cooling fan.
- Heavy-duty motors with UL 508-A approved industrial control system and motors, adjustable overloads and contactors.
- Adjustable legs for ease of movement and cleaning
- Easy to adjust housing for the main drum bearing in designed to keep the bearing cooler and lubricated
- Grooved faceplate to seal drum for less product loss
- Water jet and precision milled steel parts made in-house

SPECIFICATIONS

35 Kilo Model (77 lb) Coffee Roaster. Four roasts per hour. Designed for easy operation, low maintenance, and a long lifetime. Your choice of several standard colors, trim types and finishes.

- Weight: 2850 lbs
- Total Dimensions¹: 95"x78"x90" (LxWxH)
- Cyclone Exhaust: 8" Cooler Exhaust: 6" ²
- 250,000 BTUs maximum
- Gas Supply: 1" Pipe with Natural at 9" w.c. or Propane at 13" w.c.
- Quenching requires a 3/8th inch water line (for applicable models)
- Models with loaders and after-burners. available

[1] Allow 18" clearance minimum for service. Dimensions do not include chaff collector with heating chamber positioned behind the roaster. Add 18" (Depth) for Power burners

[2] Use Class A type positive pressure piping

[3] **Special note for Propane or bottled gas.** it is highly recommended for your safety that you purchase a quality propane regulator from a Professional source. You must have the correct regulator for the type of supply that you are connecting the roaster to. Changing supply type can or not having the regulator set to the pressure needs of the roaster or the source can be safety hazard and also damage the roaster. If you have needs for regulator please contact one of our Engineering staff for the correct one.

US Roaster Corp

1530 West Main Street ■ Oklahoma City, OK 73106 ■ Phone: 405.232.1223
 Fax: 405.232.1255 ■ Email: dan@roastersexchange.com



The 35-Kilo Millennium Coffee Roaster

Patent Pending

American Made, Hand Built Quality**Models**

- 35-Kilo Stock Model \$67,920
- 35-Kilo Standard Model (stainless or copper trim) \$68,945
- 35-Kilo Open Frame Model \$68,720
- 35-Kilo Power Burner "R" Model \$69,950
- Deluxe includes 8" touch screen and options add to above.

Add-ons

- Touchscreen Profiler with automation of door \$7800.00
- Fingertip control
- Roast Helper Option

Touchscreen Profiler Options

- Semi-automation with automatic roaster door and auto profile start, Includes Over drive and roast master.
- Full automation comes with door control system and stack light system
- Wireless touchscreen to connect to iPhone/iPad
- 10 in color display (8" color comes standards)
- Flow meter on water quenching
- Air gates on cooler discharge or green bean hopper
- Gas saving afterburner control for several types of After-burners,

Aesthetic Options

- Powered roaster door with override and auto discharge (non PLC)
- Polished stainless cooler (stainless liner is on all models)
- Smooth or dimensional stainless or hammered copper drum wrap
- Dimensional patterned stainless drum wrap
- Hammered copper cooler wrap
- Pin striping
- Two tone paint
- Clear coat over paint with metal flake
- Chrome bean chute
- Chrome face plate
- Custom paint color

Operational Options

- Maintenance hour meter
- Digital roast timer
- Environmental air temperature with digital read-out
- Automatic quenching for drum or cyclone
- Bean light
- Install extra bean thermocouple for customers data logger
- Phidget with USB connection and two thermocouples installed
- Drum speed control
- Cooler Stirrer Speed
- Cleaning kit
- Roaster controls on control head
- Magnet in cooler discharge
- Eclipse or Maxon Power Burner Unit
-

About Us. The U.S. Roaster Corp. is famous for producing the world's finest roasters that create the best roasted coffee. Partnering with specialty coffee roast masters world-wide we have developed a roaster of superior design, unmatched quality, great reliability, and ease of use. Our Millennium line of roasters provide the roast master with unlimited profile capabilities and unparalleled roast quality. By the second crack you will know why the "Quality of the Roast" comes first at U.S. Roaster Corp.

Free One-on-one training session is provided in Oklahoma City!

Contact us for information

1530 West Main St.
Oklahoma City, OK. 73106
405.232.1223.

dan@roastersexchange.com
www.usroastercorp.com

All local codes to be followed on install.

We reserve the right to make changes due to ongoing improvements.

